

MATERIAL SAFETY DATA SHEET

AUSTRALIA:

Hammersley Products (Aust) Pty Ltd ACN 001 621 281
Sandpiper Close Kooragang, NSW
Phone: (02)4928 2955 Fax (02)4928 2405



Hazardous according to the criteria of Worksafe Australia.

I IDENTIFICATION

Product Name: TRUST

Other Names: Proper Shipping Name is CORROSIVE LIQUID, TOXIC, N.O.S.

Product Code: None.

UN No: 2922 **Hazchem Code:** 2XE

Dangerous Goods Class: 8 Corrosive Substances.

Sub Risk Class: 6.1 Toxic Substances.

Packaging Group: II - Most EPGs may now be substituted by the Initial Emergency Response Guide, available from Standards Australia.

Poison Schedule: S6

Chemical Family: Water solution of inorganic acids and nonionic surfactant.

Uses: Organic acid cleaner.

Physical Appearance & Properties

Appearance & Odour: Pink liquid. Sharp acidic odour.

Melting/softening point: Approximately 0°C.

Boiling point and vapour pressure: Approximately 100°C at 100kPa.

Volatile materials: Water component.

Flashpoint: Does not burn.

Specific gravity: 1.31

Solubility in water: Completely soluble.

Corrosiveness: Very corrosive. pH 1.0 approx

Ingredients

Chemical Entity	CAS No	Proportion, %	Worksafe Exposure Limits	
			TWA, mg/m ³	STEL, mg/m ³
Hydrofluoric acid	7664-39-3	5	2.6	Peak
Phosphoric acid	7664-38-2	45	1	3
Non hazardous surfactant	secret	1-5	not set	not set
Water	7732-18-5	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

MATERIAL SAFETY DATA SHEET

II HEALTH HAZARD DATA

Health Effects:

No specific data is available for the product for chronic exposure symptoms. The ingredients are not listed as carcinogenic in Worksafe's document "Exposure Standards for Atmospheric Contaminants in the Occupational Environment" (May 1995).

Acute Effects:

Swallowed:

Data suggests that this product is toxic if swallowed. Ingestion of small quantities may cause harm and larger quantities may lead to death. This product is also very corrosive to the gastrointestinal tract. Will cause burning to mouth and throat very quickly and will rapidly lead to death unless treated promptly.

Eye:

This product is very corrosive to the eyes. It will quickly cause severe pain, and corrosion of the eye and surrounding facial tissues. Unless exposure is quickly treated, permanent blindness and facial scarring will occur.

Skin:

This product is very corrosive to skin. Even brief exposure will rapidly cause permanent effects such as corrosion of and death to skin and underlying tissues, leading to severe scarring. If extensive exposure is prolonged or not quickly treated, it is likely to lead to death.

Inhalation:

Data suggests that this product is toxic if inhaled. Brief or minor exposure may lead to health problems. Extended or major exposure may lead to severe consequences including death.

First Aid:

Obtain a supply of calcium gluconate gel and leave it in a nearby unlocked medicine cabinet. Eyebaths or eyewash stations and safety deluge showers should be provided where this product is being used. If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone 13 1126 from anywhere in Australia. If swallowed, do NOT induce vomiting. Give a glass of water.

Eyes:

If this product comes into contact with eyes, hold open and flood with water for at least 15 minutes. Do not try to remove contact lenses unless trained. Seek immediate medical attention.

Skin:

If skin contact occurs, remove contaminated clothing and wash skin thoroughly. Immediately apply calcium gluconate gel to affected skin. Seek immediate medical attention. If safety shower is available, use it promptly. If you have the time and resources, see if you can neutralise the corrosive medium, especially if on face, in eyes or in/on other sensitive areas.

Inhalation:

Remove from contaminated area. Apply artificial respiration if not breathing.

Advice to Doctor:

Treat symptomatically. Note the nature of this product.

III PRECAUTIONS FOR USE

Risk Phrases are: R35, R41, R23/25. Causes severe burns. Risk of serious damage to eyes. Toxic by inhalation and if swallowed.

Exposure Standards:

A time weighted average (TWA) has been established for Hydrofluoric acid, present in significant quantities in this product. This value is 2.6mg/m³. The corresponding STEL level is "Peak". The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. See ingredients section on page 1 of this data sheet. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

MATERIAL SAFETY DATA SHEET

Engineering Controls:

In industrial situations, concentration values below the TWA value should be maintained. Values may be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify the process or environment to reduce the problem.

Personal Protection:

Respiratory Protection: Because of the danger of this product to the respiratory system, it should only be used when the user is equipped with full respiratory equipment, unless used in a fume cupboard or other positively ventilated area designed for the protection of users. For help in selecting suitable equipment, consult AS/NZS 1715.

Protective Gloves: Impermeable protective gloves must be worn when you are using this product. Failure to do so will quickly lead to third degree burns to contacted areas, and serious scarring. All skin areas must be covered. Glove selection can be made on the basis of the following resistance for Inorganic acids based products. Neoprene: good. Rubber: good. Nitrile: good. Butyl: good. For help in selecting suitable equipment, consult AS 2161.

Eye Protection: Protective eyewear must be worn when using this product. Coverage should extend to all facial areas. Eye contact will prove at best painful and will almost always cause irreversible damage and blindness, as well as scarring of face and other contacted tissues. Consult AS1336 and AS/NZS 1337 for advice on Industrial Eye Protection.

Clothing: Clean impermeable overalls or protective clothing should always be worn when handling this product, preferably with an apron. If contaminated, laundry should be advised of the nature of the contamination, or, preferably, clothing should be destroyed. Consult AS2919 for advice on Industrial Clothing.

Safety Boots: Wearing safety boots in industrial situations is advisory. Consult AS/NZS2210 for advice on Occupational Protective Footwear.

Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

IV SAFE HANDLING INFORMATION

Safety Phrases are: S20, S28, S38, S36/37/39. When using, do not eat or drink. After contact with skin, wash immediately with plenty of soap and water. In case of insufficient ventilation, wear suitable respiratory equipment. Wear suitable protective clothing, gloves and eye/face protection.

Storage & Transport

This product is classed as UN2922, Dangerous Goods Class 8 Corrosive Substances. Proper Shipping name is CORROSIVE LIQUID, TOXIC, N.O.S. Class 8 Corrosive Substances shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 4.3 (Dangerous When Wet Substances), 5.1 (Oxidising Agents), 5.2 (Organic Peroxides), 6 (Toxic Substances where the Toxic Substances are cyanides and the Corrosives are acids), 7 (Radioactive Substances), Foodstuffs and foodstuff empties. They may however be loaded in the same vehicle or packed in the same freight container with Classes 2.1 (Flammable Gases), 2.2 (Non-Flammable, Non-Toxic Gases), 2.3 (Poisonous Gases), 3 (Flammable liquids), 4.1 (Flammable Solids), 4.2 (Spontaneously Combustible Substances), 6 (Toxic Substances except where the Toxic Substances are cyanides and the Corrosives are acids) and 9 (Miscellaneous Dangerous Goods).

This product is a S6 Poison. Observe all relevant regulations regarding sale, transport and storage of this class of product. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames, and make sure that the product does not come into contact with substances listed under "Materials to avoid" below.

MATERIAL SAFETY DATA SHEET

Spills & Disposals

In the event of a major spill, prevent spillage from entering drains or water courses. Evacuate the spill area and deny entry to unnecessary and unprotected personnel. Wear full protective chemically resistant clothing including face mask, face shield, gauntlets and self contained breathing apparatus. See above under Personal Protection regarding Australian Standards relating to personal protective equipment. Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage. Recycle containers wherever possible. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Contaminated area may be neutralised by washing with weak or dilute alkali. This material may be suitable for approved landfill. Dispose of only in accord with all regulations. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Fire & Explosion Hazard

There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

Flashpoint: Does not burn.

Flammability limits: Not applicable. This product does not burn.

Extinguishing Media: This product does not burn. Use extinguishing media suited to the materials that are burning. water fog. Water fog or fine spray is the preferred medium for large fires.

Special Fire Fighting procedures: If a significant quantity of this product is involved in a fire, call the fire brigade. Immediately evacuate the area of unnecessary personnel. When fighting fires involving significant quantities of this product, wear safety boots, non-flammable overalls, gloves, hat, goggles and respirator. All skin areas should be covered. Ensure that no spillage enters drains or water courses.

Unusual Fire & Explosion Hazards: Likely to decompose only after heating to dryness followed by further strong heating.

Stability: This product is unlikely to spontaneously decompose.

Polymerisation: This product is unlikely to spontaneously polymerise.

Decomposition Products: No significant quantities of decomposition products are expected at temperatures normally achieved in a fire.

Materials to avoid: Bases. Contact with some metals may liberate hydrogen gas, which forms explosive mixtures in air.

V OTHER INFORMATION

This MSDS is prepared in accord with the Worksafe Australia document "National Code of Practice for the Preparation of Material Safety Data Sheets", 1994.

Contact Points:

AUSTRALIA

Police and Fire Brigade:

Dial 000

If ineffective:

Dial 1100 (Exchange)

National Poisons Information Centre:

Dial 13 1126 (from anywhere in Australia)

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company. The responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request. Please read all labels carefully before using product.